

Material Safety Data Sheet

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Publishing date: 26.01.2016. Revision date: -

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier: MARILYNAILS EasyFill-CoverGel

1.2. Relevant identified uses of the mixture and uses advised against:

cosmetic product, nail gel

Details of the supplier of the safety data sheet:

European Distributor:

MarilyNails Ltd.

Soroksari u. 160., H-1095 Budapest, Hungary

Phone no.: +36308498576

Emergency telephone number:

MarilyNails Ltd.: registration@marilynails.com

Phone: +36308498576 (office hours)

International Emergency Phone Numbers: 1-352-323-3500 (call around the clock) Toxicological Information Service Hungary: 00 36 80/201199 (call around the clock) Toxicological Information Service: Hungary, 1096 Budapest Nagyvárad square 2.

00 36-80/201199 (call around the clock)

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture:

Skin Irrit., Category 2

Eye Irrit., Category 2

Specific target organ toxicity – Single exposure, Category 3,

Acute Tox. Category 4 (*)

Skin Sens. Category 1

Pictogram



Signal Word: Wng

Hazard statements

H 315 Causes skin irritation.

H 319 Causes serious eye irritation.

H 335 May cause respiratory irritation.

- H 302 Harmful if swallowed.
- H 312 Harmful in contact with skin.
- **H 411** Toxic to aquatic life with long lasting effects.
- H 317 May cause an allergic skin reaction.

Precautionary statements

- **P 264** Wash your hands thoroughly after handling.
- **P 280** Wear protective gloves/protective clothing/eye protection/face protection.

P 305 + P 351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313

If eye irritation persists: Get medical advice/attention.

P302 + P352

IF ON SKIN: Wash with plenty of soap and water.

P 321 Specific treatment (see ... on this label).

P332 + P313

If skin irritation occurs: Get medical advice/attention.

- **P 362** Take off contaminated clothing and wash before reuse.
- **P 261** Avoid breathing dust/fume/gas/mist/vapours/spray.
- **P 271** Use only outdoors or in a well-ventilated area.

P 304 + P 340

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

- **P 405** Store locked up.
- **P 270** Do no eat, drink or smoke when using this product.

P301 + P312

If swallowed: Call a POISON CENTER or doctor/physician if you feel unwell.

- P 330 Rinse mouth.
- **P 273** Avoid release to the environment.
- **P 272** Contaminated work clothing should not be allowed out of the workplace.

P 333 + P 313

If skin irritation or rash occurs: Get medical advice/attention.

- **P 363** Wash contaminated clothing before reuse.
- **P 260** Do not breathe dust/fume/gas/mist/vapours/spray.

P 301 + P330 + P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P 303 + P 361 + P 353

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

 ${\bf P\,310} \quad \hbox{Immediately call a POISON CENTER or doctor/physician}.$

2.3. Other hazards: -

3. COMPOSITION/INFORMATION ON INGREDIENTS

				Classified accordance	
Chemical name:	CAS no.	EU no.	INCI name:	with regulation	%
				1272/2008/EK (CLP)	
Poliuretane akrylate oligomer	41137-60-4	-	Di-HEMA Trimethylhexyl Dicarbamate	Skin Irrit. 2 H315	
				Eye Irrit. 2 H319	75 - 100
				STOT SE 3 H335	
		231-403-1	Isobornyl Methacrylate	Skin Irrit. 2 H315	
Isobornyl Methacrylate	7534-94-3			Eye Irrit. 2 H319	5 - 10
				STOT SE 3 H335	
Tripropylene Glycol	42978-66-5	-	Tripropylene Glycol	Skin Sens. 1 H317	1 - 8
Diacrylate			Diacrylate	Aquatic Chronic 2 H411	
2.11:4	868-77-9	212-782-2	НЕМА	Skin Irrit. 2 H315	1 - 5
2-Hidroxyethyl				Eye Irrit. 2 H319	
Metacrylate				STOT SE 3 H335	
Methacrylic Acid	79-41-4	201-204-4	Methacrylic Acid	Acute Tox. 4 (*) H312	1 - 5
				Acute Tox. 4 (*) H302	
				STOT SE 3 H335	
				Skin Corr. 1A H314	
Hydroxycyclohexyl	947-19-3	213-426-9	Hydroxycyclohexyl Phenyl	Eye Irrit. 2 H319	1 - 5
Phenyl Ketone			Ketone		
Trimethylolpropane	3290-92-4	221-950-4	Trimethylolpropane	_	1 - 5
Trimethacrylate			Trimethacrylate	-	
Silica	7631-86-9	231-545-4	Silica	-	0 - 5
PEG-9 Dimethacrylate	-	-	PEG-9 Dimethacrylate	-	0 - 0,1
CI77891/ Titanium	13463-67-7	236-675-5	CI77891/ Titanium Dioxide	-	0,1 - 1
Dioxide				-	
CI 15850/ Red 7	5858-81-1	227-497-9	CI 15850/ Red 7	-	0 - 0,1
CI 60725/ Violet 2	81-48-1	201-353-5	CI 60725/ Violet 2	-	0 - 0,1
CI 19140/ Yellow 5	1934-21-0	217-699-5	CI 19140/ Yellow 5	-	0 - 0,1

May contain the following ingredients:

Chemical name:	CAS no.	EU no.	INCI name:	Classified accordance with regulation 1272/2008/EK (CLP	%
CI 77491/Iron Oxide	1309-37-1	215-168-2	CI 77491/Iron Oxide	-	0 - 0,1
CI 77492/Iron Oxide	51274-00-1	257-098-5	CI 77492/Iron Oxide	-	0-0,1

CI 77742/Manganese	10101-66-3	233-257-4	CI 77742/Manganese	-	0 - 0,1
Violet			Violet		
CI77510/Ferric	14038-43-8	237-875-5	CI77510/Ferric	-	0-0,1
Ferrocyanide			Ferrocyanide		
CI 15850/Red 6	5858-81-1	227-497-9	CI 15850/Red 6	-	0 - 0,1
CI 42090/Blue 1	3844-45-9	223-339-8	CI 42090/Blue 1	-	0 - 0,1

4. FIRST AID MEASURES

General:

The injured person is removed from the endangered environment. The contaminated, soaked clothing should be removed immediately. Unconscious, injured or spastic condition. Never give anything by mouth.

Inhalation:

The affected person to fresh air and keep at rest in. Medical care in case of complaint to be considered.

Skin contact:

Contaminated clothing should be removed. Rinse with water, then soap and water to the skin. In case of complaint, seek medical advice.

Eye contact:

Eye contact, immediately rinse with plenty of water for at least 15 minutes while pulling the eyelids apart with your fingers. In case of complaint, seek medical advice.

Ingestion:

One or two glasses of water to drink. Do NOT induce vomiting! Medical care must be used!

5. FIREFIGHTING MEASURES

- **5.1. Extinguishing media:** use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.
- **5.2. Special hazards arising from the substance or mixture:** High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur.
- **5.3. Advice for fire fighters:** full protective equipment, including self contained breathing apparatus is recommended.

6. ACCIDENTAL RELEASE MEASURES

- **6.1. Personal precautions:** Unauthorized persons must be removed from the site. The skin, eyes and clothing, the drug inhalation, and ingestion should be avoided. See protective measures 7 and 8 points as well.
- **6.2. Environmental precautions:** Spillage should be ensured that the product is not exposed to sewage, rivers, watercourses, groundwater and soil. Larger spill, the responsible authorities must be informed.
- **6.3. Methods and material for containment and cleaning up:** Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills.

7. HANDLING AND STORAGE

7.1. Handling: Avoid contact with skin and eyes. Avoid breathing vapor. Keep container closed when not in use. Avoid

prolonged exposure to light. Remove all contaminated clothing, shoes, belts and other leather goods immediately.

Incinerate leather goods (including shoes). Wash contaminated clothing thoroughly before reuse. Wash skin thoroughly

with soap and water after handling. Solvents should not be used to clean skin because of increased penetration potential.

Most acrylic monomers have low viscosities, thus only needing room temperature conditions to facilitate proper

pouring techniques. However, viscous type gels such as these may require heating to facilitate proper pouring

techniques. To ensure that this happens, product may be heated to $60^{\circ}\text{C}/140^{\circ}\text{F}$ for not more than 24 hours. Do NOT use

localized heat sources such as band heaters to heat/melt product. Do NOT use steam. Hot boxes or hot rooms are

recommended for heating/melting material. The hot box and/or room should only be set to a maximum temperature of

60°C/140°F. Do not overheat, this may compromise product effectiveness and should be avoided. Refrain from multiple

reheatings of product, this will also diminishing the quality of the product.

7.2. Storage: Product is extremely light sensitive. If exposed to natural light or UV light, material will cure very

quickly. Store in a cool, dry place, away from heat and all types of light. Store at temperatures below 100°F/38°C but

above the product's freezing point. If no freezing point is given, keep above 32°F/0°C at all times.

7.3. Specific end use(s): Spontaneous polymerization can occur. Although material is non-flammable please try to

eliminate all ignition sources. Use eye and skin protection. Place leaking containers in a well ventilated area. Dike and

recover large spills. Soak up small spills with inert solids (such as vermiculite, clay) and sweep/shovel into disposal

container. Wash spill area with strong detregent and water solution; rinse with water, but minimize water use during

cleanup. Do not flush to sewer!

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls: Good general ventilation should be sufficient to control airborne levels in small quantity use.

Local exhaust is recommended for bulk repackaging or continuous large quantity use.

Occupational exposure controls:

The proper care is needed when working in preparation for clothing, eye, or avoid skin contact. Normal conditions of

use and use with adequate ventilation. During breaks and after work wash your hands.

Personal protective equipment (PPE):

Respiratory protection: usually not necessary. However, inhalation of dusts and fumes should be avoided.

Hand protection: appropriate chemically resistant gloves (EN 374) is prolonged, direct contact, which corresponds to>

480 minutes of penetration of, for example nitrile rubber (0.4 mm), CR (0.5 mm). Wash when contaminated. If the

punctured gloves inside, stained, respectively the dirt can be removed, the glove should be treated as hazardous waste.

Eye protection: safety glasses with side shields (EN 166).

Skin Protection: wear appropriate protective clothing (EN 463).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties:

Appearance: clear, viscous liquid

Odour: characteristic acrylate odour

pH: no data available
Boiling point: no data available

Flash point: 100 °C

Explosive properties no data available
Oxidising properties: no data available

Vapour pressure: 0,01
Relative density: 1,15
Water solubility: insoluble

Partition coefficient: n-octanol/water:

Viscosity:

no data available

Vapour density:

no data available

Evaporation rate:

no data available

9.2. Other information: -

10. STABILITY AND REACTIVITY

10.1. Reactivity: stable during normal use.

10.2. Chemical stability: stable during normal use.

10.3. Conditions to avoid: heat storage >100°F/38°C, exposure to light, loss of dissolved air, loss of polymerization inhibitor, contamination with incompatible materials.

10.4. Incompatible materials: polymerization initiators including peroxides, strong oxidizing agents, copper alloys, carbon steel, iron, rust and string bases.

10.6. Hazardous decomposition products: may occur. Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects:

Acute oral toxicity: No information available No information available Acute dermal toxicity: Acute inhalation toxicity: No information available Skin irritation: No information available No information available Eye irritation: Sub-chronic toxicity: No information available No information available Sensitization: Mutagenicity: No information available Reproductive toxicity: No information available No information available Carcinogenicity:

Acute effects:

The product has no connection with the measured data. The product contains substances that are prolonged and repeated contact with a small skin lesion (erythema, swelling) can cause skin irritation.

Sub-chronoc effects:

There are no available measured data.

12. ECOLOGICAL INFORMATION

12.1. Toxicity:

Acute toxicity to fish:

Acute toxicity to invertebrates:

no data available

no data available

no data available

12.2. Persistence and degradability: no data available.

12.3. Bioaccumulative potential: no data available.

12.4. Mobility in soil: no data available.

12.5. Results of PBT and vPvB assessment: no data available.

12.6 Other adverse effects: no data available.

Do not allow to enter drinking water supplies, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

May be disposed of in a landfill or incinerated. Please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

14. TRANSPORT INFORMATION

UN number: -

UN proper shipping name: -

Transport hazard class: -

Packing group: -

Environmental hazards: -

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH),
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Text with EEA relevance),
- Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

15.2. Chemical safety assessment: -

16. OTHER INFORMATION

List of relevant R phrases:

R 36/37/38 Irritating to eyes, respiratory system and skin.

R 43 May cause sensitization by skin contact.

R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R 21/22 Harmful in contact with skin and if swallowed

The manufacturer's recommended restrictions on use:

The product is for professional use. The proper use of a product, please read the detailed preparation guide.

This form of the manufacturer's 26. 08. 2015 provided on the original safety data sheets using the current 1907/2006 prepared in accordance with regulations.

The safety data sheet for the product usage instructions are not substitutes for certification (quality certification), can not be used to verify compliance.